
















Robotrad-s : Grid | Robotrad-p : Grid | Robotrad-t : Grill

	Type	Division	Weight range (oz) *	Dough portion size (in)	Capacity (pc/h) **
	2 x 2	4	17.6 - 68.8	8.5 x 8.4	280
	1 x 6	6	11.8 - 45.9	17.1 x 2.8	420
	1 x 8	8	8.8 - 34.4	17.1 x 2.0	550
	2 x 4	8	8.8 - 34.4	8.5 x 4.2	550
	3 x 3	9	7.8 - 30.6	5.7 x 5.6	620






Robotrad-s : Grid | Robotrad-p : Grid | Robotrad-t : Grill

	Type	Division	Weight range (oz) *	Dough portion size (in)	Capacity (pc/h) **
	1 x 10	10	7.1 - 27.5	17.1 x 1.6	690
	2 x 5	10	7.1 - 27.5	8.5 x 3.3	690
	2 x 6	12	5.9 - 22.9	8.5 x 2.8	830
	4 x 3	12	5.9 - 22.9	4.2 x 5.6	830
	2 x 8	16	4.4 - 17.2	8.5 x 2.0	1110






Robotrad-s : Grid | Robotrad-p : Grid | Robotrad-t : Grill


	Type	Division	Weight range (oz) *	Dough portion size (in)	Capacity (pc/h) **
	4 x 4	16	4.4 - 17.2	4.2 x 4.2	1110
	3 x 6	18	3.9 - 15.3	5.7 x 2.8	1250
	2 x 10	20	3.5 - 13.8	8.5 x 1.6	1380
	5 x 4	20	3.5 - 13.8	3.4 x 4.2	1380
	4 x 6	24	2.9 - 11.5	4.2 x 2.8	1660

Robotrad-s : Grid | Robotrad-p : Grid | Robotrad-t : Grill

	Type	Division	Weight range (oz) *	Dough portion size (in)	Capacity (pc/h) **
	5 x 6	30	2.4 - 9.2	3.4 x 2.8	2080
	4 x 8	32	2.2 - 8.6	4.2 x 2.0	2220
	6 x 6	36	2.0 - 7.6	2.8 x 2.8	2480
	5 x 8	40	1.8 - 6.9	3.4 x 2.0	2770
	8 x 10	80	0.9 - 3.4	2.1 x 1.6	5540

Robotrad-s : Grid | Robotrad-p : Grid | Robotrad-t : Grill

	Type	Division	Weight range (oz) *	Dough portion size (in)	Capacity (pc/h) **
	R16	16	3.1 - 12.1	d4.1	1110
	R25	25	2.0 - 7.8	d3.3	1730
	T24	24	2.9 - 11.5	5.5 x 4.1 x 6.9	1660
	T32	32	2.2 - 8.6	4.1 x 4.1 x 5.9	2220
	T40	40	1.8 - 6.9	4.1 x 3.3 x 5.3	2770

	Type	Division	Weight range (oz) *	Dough portion size (in)	Capacity (pc/h) **
	T60	60	1.2 - 4.6	3.3 x 2.8 x 4.3	4150

\* depending on dough consistency

\*\* depending on operator efficiency and production flow

Dough basket WxDxH 17.1" x 16.9" x 4.7"

Dough capacity 4.4 - 17.2 lbs